



New!

Introducing **STAINLESS STEEL** Heavy Duty - Wall Mount Commercial Faucet

Confused about lead free faucets that actually contain lead? Here's the solution!

Be assured from the start that the faucet you sell is truly lead free...

Introducing the "GREENEST," most economical and truly lead free commercial faucet available to the plumbing trade!

PASCO is proud to introduce its all new
Stainless Steel Heavy Duty Wall Mount Commercial Faucet.

- 100% Stainless Steel is good for the plumber as well as the environment.
- Stainless Steel is made from 60% (or more) recycled material which comes from manufacturing processes as well as "end of life" products.
- Stainless Steel is 100% lead free, which far exceeds the requirements of CA AB1953 and Vermont S.152. These laws actually ALLOW faucets to contain lead.
- No chrome plating. Although the current "lead free" brass faucets on the market may contain a very small amount of lead, they are still required to be chrome plated. Brass faucets require plating that uses heavy metals, acids and other harmful chemicals which are all disposed of after the plating process.
- It's obvious that Stainless Steel is a superior metal in all uses. The finish will never dull, wear or flake off. The stems of these faucets are ceramic which allows for tremendously long use. The heavy duty spout will stand up to the rigors of use in the commercial installation.
- 1/2" FPT Inlets
- Full flow with a quarter turn of the handle
- Twin seal Stainless Steel tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	SPOUT LENGTH	ADJUSTS
33910	10"	7-1/2" to
33912	12"	8-1/2"

Push Button Drinking Fountain

- 3/8" FPT
- Chrome plated brass
- Lead-free cartridges (see 2195)

Replaces HAWS HW5010



PART NUMBER	DESCRIPTION
86194	Bubbler with cartridge

Push Button Drinking Fountain Retro - Fit Kit

Replaces fountains on china fixtures.

Kit Contains:

- #86194 Chrome plated brass drinking fountain with cartridge
- 1/2" x 3/8" x 3-1/2" inlet nipple
- Polished stainless steel flange
- Rosette, locknut & coupling nut
- 1-3/4" cockhole cover


Add any length supply line



PART NUMBER	DESCRIPTION
86197	Retro-fit kit

Fountain Bushing & Valve Wrench 2-in-1 Tool

- Tightens or loosens cartridge retaining bushing
- Prevents bushing thread damage which causes leaks
- Prevents damage to cartridge bushing
- Properly tightens bushing each time.



PART NUMBER
7047

Pure Flow Drinking Fountain Cartridge

- The simple yet durable design allows thousands of on/off cycles
- Fits similar style of fountains like our 2194 or 86194
- This new design replaces the old style 2195 and 2196 cartridges
- Durable - Lead Free - Easily Adjusted

Replaces:
HAW VRK5010
HALSEY-TAYLOR 15010
TOMLINSON 1016337



To adjust water flow, use the "Serrated Dial Counter." DO NOT USE A SCREWDRIVER. Position the dial turning clockwise to decrease water flow. To increase water flow, turn the dial in a counter clockwise direction. Note the position of the notch on the dial (if turned past 180° the water flow will start to decrease.)

PART NUMBER
2195

Self-Closing Drinking Fountain

- 1/2" FPT
- Chrome plated brass
- Flow regulator screw
- Cross handle
- Precision ball bearing actions



PART NUMBER	FPT
86190	1/2"

Quarter Turn Lavatory Faucet

- Not self-closing
- Plumbers Quality
- Chrome plated brass
- Low flow aerator
- Hot or cold cross handle
- 1/2" IPS shank
- Complete with locknut and rosette



PART NUMBER	HANDLE
86805	Hot
86807	Cold


Glass Fillers - 3 Styles

- Chrome plated brass
- 1/4" or 3/8" compression connection


The Original



Tall Spout



Long Reach



PART NUMBER	DESCRIPTION
86040	Original - 1/4"
86041	Original - 3/8"
86040TS	Tall Spout - 1/4"
86040LR	Long Reach - 1/4"

**Institutional Quality • Specification Grade
Contemporary Design • Individually Pressure Tested**

Heavy Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Full flow with a quarter turn of the handle
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	SPOUT LENGTH	ADJUSTS
86006	6"	7-1/2" to 8-1/2"
86008	8"	
86010	10"	
86012	12"	
86014	14"	

Medium Duty - Wall Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	SPOUT LENGTH	ADJUSTS
86306	6"	7-1/2" to 8-1/2"
86308	8"	
86310	10"	
86312	12"	
86314	14"	

Heavy Duty - Deck Mount - 8" Centers

- Chrome plated brass
- 1/2" FPT Inlets
- Twin seal chrome plated brass tubular swing spout
- 55/64" Female water saver aerator



PART NUMBER	LENGTH
86410	10"
86412	12"

Heavy Duty Swing Spout

- Twin seal
- Tubular
- Chrome plated brass
- 55/64" Female water saver aerator



PART NUMBER	LENGTH
86806	6"
86808	8"
86810	10"
86812	12"
86814	14"

Ice Maker Hook-Up Kits

For use on refrigerators with automatic ice makers. Also use on humidifiers.



Poly Tubing
KIT CONTAINS
1 - 1/4" x 25' Poly tubing
1 - Self-piercing needle valve
1 - 1/4" Compression union
2 - 1/4" Brass insert sleeves
2 - 1/4" Delrin sleeves

Poly Tubing

PART NUMBER	SIZE
86045	Hook-Up Kit
2056-25	25' Poly Tubing ONLY



Copper Tubing
KIT CONTAINS
1 - 1/4" x 25' Copper tubing
1 - Self-piercing needle valve
1 - 1/4" Compression union
1 - 1/4" Compression male
1 - 1/4" 90° Compression elbow

Copper Tubing


PART NUMBER	SIZE
86049	Copper Hook-Up Kit
2059-25	25' Copper Tubing ONLY

Granulated Carbon Filter

Filters contain granulated carbon for taste and odor removal from municipal drinking water.

SPECIFICATIONS:

Container - Polypropylene
Media- Activated Carbon
Filter/Screen - Polyester Felt
Micron Size - 20
Flow Rate - 1 GPM @ 60 PSI
Life Span - 3-6 months
Effective Filterings - 2000 gal.
Temp Rating - 120° F
Pressure Rating - 125 PSI



PART NUMBER	SIZE
2060	Use 1/4" Compression Fittings
2060-38	Use 3/8" Compression Fittings

Self-Piercing Needle Valve

For 3/8" To 1" Copper Tube


KIT CONTAINS:
1 - Needle valve
1 - Saddle clamp
2 - Nuts
2 - Bolts




PART NUMBER
86062

Brass Fittings


Couplings

	PART #	SIZE
	867102	3/8"
	867103	1/2"
	867104	3/4"
	867105	1"


90° Street Elbows

	PART #	SIZE
	867249	3/8"
	867250	1/2"
	867251	3/4"
	867252	1"


Reducing Couplings

	PART #	SIZE
	867123	1/2" x 3/8"
	867126	3/4" x 1/2"
	867129	1" x 3/4"
	867130	1" x 1/2"


Tees

	PART #	SIZE
	867261	3/8"
	867262	1/2"
	867263	3/4"
	867264	1"


Unions

	PART #	SIZE
	867164	3/8"
	867165	1/2"
	867166	3/4"
	867167	1"


Reducing Tees

	PART #	SIZE
	867303	3/4" x 3/4" x 1/2"


90° Elbows

	PART #	SIZE
	867206	3/8"
	867207	1/2"
	867208	3/4"
	867209	1"


Caps

	PART #	SIZE
	867406	3/8"
	867407	1/2"
	867408	3/4"
	867409	1"

Square Head Plugs

	PART #	SIZE
	867422	3/8"
	867423	1/2"
	867424	3/4"
	867425	1"

Hex Bushings

	PART #	SIZE
	867439	1/2" x 3/8"
	867441	1/2" x 1/8"
	867442	3/4" x 1/2"
	867446	1" x 3/4"
	867447	1" x 1/2"

Please Note

PASCO has cataloged the most popular, by demand, lead free brass fittings and nipples. AB1953 does not require brass fittings or nipples in sizes of 2" or above to comply with the lead free standard of AB1953. Please contact us for price and availability of 1-1/4" or 1-1/2" lead free brass fittings or nipples. Although not readily available for same day shipment, we can supply the above sizes.

Chrome Plated Nipples and Fittings

PASCO has available both chrome plated brass fittings and nipples. Simply add the letter "C" to the fitting or nipple part number and we will quote pricing and availability.

Brass Nipples

Each nipple is cleaned of burrs and cutting oil and manufactured in accordance with ASTM B-687.



3/8" PART #	LENGTH
7734	CL
7735	1-1/2"
7736	2"
7737	2-1/2"
7738	3"
7739	3-1/2"
7740	4"
7741	4-1/2"
7742	5"
7743	5-1/2"
7744	6"

1/2" PART #	LENGTH
7751	CL
7752	1-1/2"
7753	2"
7754	2-1/2"
7755	3"
7756	3-1/2"
7757	4"
7758	4-1/2"
7759	5"
7760	5-1/2"
7761	6"

3/4" PART #	LENGTH
7768	CL
7769	1-1/2"
7770	2"
7771	2-1/2"
7772	3"
7773	3-1/2"
7774	4"
7775	4-1/2"
7776	5"
7777	5-1/2"
7778	6"

1" PART #	LENGTH
7785	CL
7786	2"
7787	2-1/2"
7789	3"
7790	3-1/2"
7791	4"
7792	4-1/2"
7793	5"
7794	5-1/2"
7795	6"

Please Note

PASCO has cataloged the most popular, by demand, lead free brass fittings and nipples. AB1953 does not require brass fittings or nipples in sizes of 2" or above to comply with the lead free standard of AB1953. Please contact us for price and availability of 1-1/4" or 1-1/2" lead free brass fittings or nipples. Although not readily available for same day shipment, we can supply the above sizes.

Chrome Plated Nipples and Fittings

PASCO has available both chrome plated brass fittings and nipples. Simply add the letter "C" to the fitting or nipple part number and we will quote pricing and availability.

Brass Compression Fittings

60 Series

Brass Compression Sleeve



PART #	SIZE
87604	1/4"
87606	3/8"
876010	5/8"
876014	7/8"

61-C Series


Compression Cap



PART #	SIZE
8761C4	1/4"
8761C6	3/8"

62 Series


Compression Union



PART #	SIZE
87624	1/4"
87626	3/8"
876264	3/8" x 1/4"
87628	1/2"
876286	1/2" x 3/8"
876210	5/8"
8762106	5/8" x 3/8"
876214	7/8"

64 Series


Compression Tees



PART #	SIZE
87644	1/4"
87646	3/8"
876410	5/8"

66 Series

Compression x FIP Coupling



PART #	SIZE
876648	1/4" x 1/2"
876666	3/8"
876668	3/8" x 1/2"
876688	1/2"
8766108	5/8" x 1/2"

65 Series


Compression 90° Ell



PART #	SIZE
87656	3/8"
876510	5/8"

68 Series


Compression x MIP Coupling



PART #	SIZE
876842	1/4" x 1/8"
876844	1/4"
876846	1/4" x 3/8"
876848	1/4" x 1/2"
876864	3/8" x 1/4"
876866	3/8"
876868	3/8" x 1/2"
876888	1/2"
8768106	5/8" x 3/8"
8768108	5/8" x 1/2"
87681012	5/8" x 3/4"
87681412	7/8" x 3/4"

69 Series


Compression x MIP 90° Ell



PART #	SIZE
876964	3/8" x 1/4"
876966	3/8"
876968	3/8" x 1/2"

70 Series


Compression x FIP 90° Ell



PART #	SIZE
877068	3/8" x 1/2"

74 Series


Compression x MIP Angle Valve



PART #	SIZE
8774542	1/4" x 1/8"

78 Series

Compression x Compression Needle Valve



PART #	SIZE
877834	1/4"
877836	3/8"